


FLAGSTONE PAVERS

QUALITY & STRENGTH INTERLOCKED www.flagstonepavers.com



ABOUT US





MATERIAL

Flagstone Pavers meet or exceed the ASTM C-936, standard specifications for solid interlocking concrete paving units. We have the best multi-color blending system in the market today. Our innovative full-color through process, creates the strongest possible product, while maintaining a smooth concrete surface. So you get the best of both worlds. All with an unsurpassed warranty.

DENSITY

Flagstone Pavers has developed a revolutionary color-through batch design that provides optimum strength and durability — without the problems often encountered in the veneer process offered by other manufacturers.

This innovative system eliminates separation between the surface and base material and stops premature wear.

CONSISTENCY

Flagstone Pavers' renowned batch design continues to set the standard for the industry.

While other paver manufacturers may also use the color-through process, many do not add sand and properly adjust their cement and color loadings, which can result in the color looking faded compared to Flagstone's products.

SERVICE

We are committed to providing outstanding service and exceptional on-time delivery.

With our architectural design guide, photo gallery, and sample boards, you'll find it easy to select the right paver solution for your project. And our comprehensive website puts all of our resources at your fingertips.



Paving the way to your American dream...

Whether you're building or remodeling your dream home or pouring yourself into your business, you bring all your hopes and aspirations into it. You're fulfilling the American dream. At Flagstone, we put that same level of dedication and commitment into each one of our pavers. That's why they are simply the best paver you can buy.

Our revolutionary color-blending system gives you the most vibrant pavers available in the market today. We use only the finest quality materials available from Florida mines resulting in a paver with a smoother, harder surface providing enhanced durability and strength. Our commitment to outstanding service and exceptional on-time delivery truly separates us from the rest.



TABLE OF CONTENTS

- 4 Gallery
- 6 Product Guide
 - 7 Single Pavers
 - 8 New England
 - 8 Heritage
 - 8 Patriot
 - 9 Castlerock III
 - 9 Traverstone
 - 9 Eco-CityLock™
 - 10 CityStone™ Demi & Supra
 - 11 Panorama™ Demi & Supra
 - 12 St. Augustine Collection
 - 13 Coping
 - 14 Rumbled Wall™
 - 14 Munich Wall
 - 14 Fire Pit Brick
 - 15 RumbleStone®
- 16 Color Guide
- 19 Flagstone Color Matrix







St. Augustine Collection: Castillo in White / Tan / Charcoal, Running Bond Pattern





New England & Coping in Cream / Beige / Charcoal, Random Pattern

GALLERY







Patriot in Sand / Tan, T-Pattern



Frontier in Charcoal and Liberty in White / Pewter, Pattern 6







SINGLE PAVERS



FRONTIER 4" x 4" Thickness: 30mm, 60mm



FREEDOM 4" x 8" Thickness: 30mm, 60mm, 80mm



INDEPENDENCE 8" x 12" Thickness: 60mm



COMMONWEALTH 8" x 8" Thickness: 30mm, 60mm



CAPITOL SINGLE 8.85" x 6.3" Thickness: 60mm



CAPITOL DOUBLE 8.85" x 8.85" Thickness: 30mm



OLD GLORY 12" x 18" Thickness: 60mm



MONUMENT 11" x 8"x 4" Thickness: 30mm, 60mm




LIBERTY 12" x 12" Thickness: 30mm, 60mm




SUPREME 16" x 16" Thickness: 60mm



Cream / Beige / Charcoal, Herringbone Pattern



Supreme in Cream / Orange / Pewter, Running Bond Pattern



Commonwealth Inserts in White and Tan

PRODU

PRODUCT GUIDE

NEW ENGLAND



3" x 6" 6" x 6" 6" x 9"

Thickness: 30mm, 60mm

HERITAGE



8⁷/₈" x 8⁷/₈" 8⁷/₈" x 13³/₈"

Thickness: 30mm, 60mm

Embossed surface gives a slate like appearance. Softened edges create the natural look of weathered flagstone.

PATRIOT



6 1/4" x 6 1/4" 6 1/4" x 9 3/8"

Thickness: 30mm, 60mm








CASTLEROCK III



 $4^{5}/8$ " x $6^{1}/4$ " $6^{1}/4$ " x $6^{1}/4$ " x $6^{1}/4$ " x $9^{1}/4$ "

Thickness: 30mm, 60mm Pillow top surface



TRAVERSTONE



Thickness: 30mm, 60mm

Softened edges create the natural look of weathered flagstone.



Traverstone in Cream / Orange / Pewter, Random Pattern

ECO-CITYLOCK™



4" x 8"

Thickness: 60mm



CITYSTONE™ - Demi



4" x 8" 8" x 8" 8" x 12"

Thickness: 30mm, 60mm



CityStone - Demi in Cream / Orange / Pewter, Random Pattern

$\mathsf{CITYSTONE}^\mathsf{\scriptscriptstyle\mathsf{TM}}$ - Supra



8" x 16" 16" x 16" 16" x 24"

Thickness: 60mm



CITYSTONE™ - Demi & Supra





CityStone - Demi & Supra in Cream / Beige, Random Pattern

PANORAMA™ - Demi



4" x 8" 8" x 8" 8" x 12"

Thickness: 30mm, 60mm

Embossed surface gives a slate like appearance. Softened edges create the natural look of weathered flagstone.



PANORAMA™ - Supra



8" x 16" 16" x 16" 16" x 24"

Thickness: 60mm

Embossed surface gives a slate like appearance. Softened edges create the natural look of weathered flagstone.



Panorama - Supra in Willow, Random Pattern



Thickness: 60mm

Embossed surface gives a slate like appearance. Softened edges create the natural look of weathered flagstone.






ST. AUGUSTINE COLLECTION

Flagstone Pavers' St. Augustine Collection is a compilation of paver shapes that can be used individually or combined to create a true "Old City" look and feel. The uneven chamfered edges and curvatures to the individual pavers appear as true stones.

Circles and fans are included in this unique collection and denote Old World craftsmanship. They become the center of attention in a field of pavers, adding warmth and charm. The St. Augustine collection consists of the following paver shapes:

Flagler, $3^{1}/_{8}$ " x $6^{1}/_{2}$ "
Anastasia, $6^{1}/_{2}$ " x $6^{1}/_{2}$ "
Castillo, $6^{1}/_{2}$ " x $9^{7}/_{8}$ "
Turret, $3^{1}/_{8}$ " Octagon
Puente, $6^{1}/_{2}$ " x 7^{1} x 2^{1} "
Leones, $6^{1}/_{2}$ " x $7^{1}/_{2}$ " x $4^{3}/_{8}$ "







FLAGLER
Thickness: 60mm



ANASTASIA
Thickness: 60mm



CASTILLO
Thickness: 60mm



TURRET OCTAGON
Thickness: 60mm



PUENTE/LEONES
Thickness: 60mm



BAHIA
Thickness: 60mm



Surrounded with Anastasia in Cream / Orange / Brown



BULLNOSE COPING

Used for pool coping or step coping during new applications and replacement applications.

Thickness: 60mm



REMODEL COPING

Remodel Coping can be used for pool coping or step coping to overlay existing hard surfaces.

Available in 1" Long, 2 3/4" Long, 4" Long











RUMBLED WALL™



8" deep x 16" long x 4" thick Weight: 40 lbs

Rumbled™Wall is a tumbled, modular wall product designed to bring Old World charm to your outdoor living spaces. Product can be dry stacked or mortar set to create many different looks. Popular configurations include seating walls, landscape walls, columns, planters, grill enclosures, stairs and fire pits.

MUNICH WALL



8" deep x 12" long x 4" thick Weight: 25 lbs

Munich Wall offers an easy, cost-effective solution for smaller walls and columns. Product can be dry stacked or mortar set.



Rumbled Wall™, Munich Wall & Fire Pit Brick in Cream / Beige / Charcoal


FIRE PIT BRICK

8" deep x 7" - 5" wide x 4" thick Weight: 15 lbs



RUMBLESTONE®

Flagstone's innovative RumbleStone® provides a set of rustic building blocks for your outdoor hardscape projects. Simple to complex, large or small, the possibilities for creative expression are as far and wide as your imagination. The six tumbled RumbleStone® sizes modulate in all dimensions and can be assembled in a variety of configurations and orientations. In addition to simple running bond patterns, the stones can be easily stacked with insets, moved forward and backward, horizontally and vertically, for more aesthetically pleasing visual relief and texture. Also, the 3.5-inch base module works with common dimension lumber for benches and pergola posts. Stack'em up and bond with construction adhesive.





RUMBLESTONE® SQUARE 7" deep x 7" wide x 1 3/4" thick



RUMBLESTONE® MINI 7" deep x $3\frac{1}{2}$ " wide x $1\frac{3}{4}$ " thick



RUMBLESTONE® RECTANGLE 7" deep x 10 ½" wide x 1 ¾" thick



RUMBLESTONE® LARGE 7" deep x 10 ½" wide x 3 ½" thick



RUMBLESTONE® MEDIUM 7" deep x 7" wide x 3 ½" thick



RUMBLESTONE® TRAPEZOID
7" deep x 10 1/4" - 6 1/2" wide x 3 1/2" thick




COLOR GUIDE

Blended White Cement Based Colors



COLOR GUIDE

Blended Gray Cement Based Colors



Solid Gray Cement Based Colors





COLOR GUIDE

Solid White Cement Based Colors











Premium Solid Colors









Premium Blend Colors











CEMENT & CONCRETE PRODUCTS™

FLAGSTONE COLOR MATRIX

	COLORS	White	Cream	Sand	Beige	Orange	White/Peach	White/Tan	White/Pewter	Cream/Beige	Cream/Orange	Sand/Tan	Sand/Orange	White/Tan/Charcoal	White/Peach/Pewter	Cream/Orange/Pewter	Cream/Beige/Charcoal	Orange/Gold/Charcoal	Red/Yellow/Charcoal	Cream/Orange/Brown	Old Chicago I	Old Chicago II	Willow	Sandstone/Camel	Gray/Charcoal	Red/Charcoal	Red/Tan	Tan/Brown	Tan/Charcoal	Red/Tan/Charcoal	Orange/Tan/Brown	Orange/Tan/Charcoal	Indian Summer	Tan	Pewter	Charcoal	Café
PA	VERS																																				
SINGLE PAVERS	Frontier		Х							Х																									Х		
	Freedom	Х	Χ	Х	Х	Х	Х	Χ	Χ	Х	Х	Χ	Χ	Χ	Χ	Χ	Χ	Х	Χ	Χ	Х	Χ	Χ	Χ	Χ	Х	Х	Χ	Χ	Χ	Χ	Х	Х	Х	Х	Х	
	Independence								0	0				0		0	0																			0	_
	Commonwealth	Χ	Χ		Χ			Χ	0	Χ				Χ		Χ	Χ												0						0		
	Capitol									0						Χ	Χ													0							_
	Old Glory	0	0					0	0	0		0		0		0	0																				
	Monument									Χ				Χ		Χ	Χ																		Ш		
	Liberty	0	0					Χ	Χ	Χ		0		Χ		Χ	Χ																				
	Supreme	0	0							0		0		0		0	0																		Ш	Ш	
New England								Χ	Χ	Χ		Χ		Χ	Χ	Χ	Χ		χ	Χ	Χ	Χ	Χ	Χ	Χ			0	0	χ	0	0	Х				
Heritage								Χ	Χ	Χ		Χ		Χ		Χ	Χ		Χ	Χ	Χ	Χ	Χ	Χ	Χ					0	0	0	Х			Ш	
Patriot								Χ	Χ	Χ		Χ	Χ	Χ	Χ	Χ	Χ		Χ	Χ	Χ	Χ	Χ	Χ	Χ			0	0	Χ	0	0	Х				
Castlerock III								χ	Х	Χ		Χ		Χ		Χ	Χ			Χ	Χ	Х	Χ	Χ	Χ					0	0	0	Х				
Traverstone								Χ	Х	Χ		Χ		Χ		Χ	Χ			Χ	Χ	Х	Χ	Χ	Χ								Х				
Eco-CityLock									Х					Χ			Χ								Χ					Χ							
CityStone Demi & Supra#								Χ	Χ	Χ				Χ		Χ	Χ																				
Panorama Demi & Supra#								χ	Х	Χ				Χ		Χ	χ																				
St. Augustine														0		0	0													0							
COPING																																					
Bullnose Coping		Х	Х	Х	Χ	Х		Χ	Х	Χ		Χ		Χ		Χ	Χ			Χ	Χ	Х	Χ	Χ	Χ				Χ				Х	Х	Х	Х	
Remodel Coping		Χ	Χ	Х	Χ	Х		Χ	Х	Χ		Χ		Χ		Χ	Χ			Χ	Χ	Х	Х	Χ									Х	Х	Х	Х	
	ALLS																																				
Rumbled™ Wall																	Х								Х								Х				
Munich Wall																	Χ								Χ								Х				
Fire Pit Brick																	Χ								Χ								Х				
RumbleStone®																																					Х

X = Available in both Thick and Thin

0 = Available Thick Pavers ONLY

= Supra only available in 60mm

The availability of colors in certain shapes may change. Minimum square footage requirements may apply. Please refer to our current Product Color Run Sheet on **www.flagstonepavers.com** before making your selections.



Traverstone in White / Tan / Charcoal, Random Pattern

NOTICE OF LIMITED WARRANTY: the terms of the Limited Warranty applicable to our products can be found at www.flagstonepavers.com or can be obtained by sending a written request to c/o FLAGSTONE PAVERS, 9070 Old Cobb Road, Brooksville, FL 34601.

Manufactured by:



www.flagstonepavers.com

9070 Old Cobb Road Brooksville, FL 34601 Phone: 352-799-7933 Fax: 352-799-6844

©2018 The QUIKRETE Companies - Patents Pending. • KHS - 5/18

QUIKRETE and its subsidiaries (collectively QUIKRETE) reserve the right to improve its products and make changes to its specification and design without notice. The information contained herein has been compiled by QUIKRETE and to the best of its knowledge, accurately represents Flagstone Pavers products and how it may be used in the applications which are illustrated. Site conditions, including load pressures acting on the wall, soil types and drainage conditions, may vary. Final determination of the suitability of the product for the use contemplated and the manner of product use are the sole responsibility of the user. Good construction practices and local building codes require the use of an engineered design when constructing retaining walls or free-standing walls in many conditions. Structural design and analysis should be provided by a qualified engineer.